

Printing date 15.11.2012

### Version number 7

Revision: 25.10.2012

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Dinitrol ML Spray
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the preparation Anticorrosion additive
- $\cdot$  1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier: DINOL GmbH Pyrmonter Str. 76 D-32676 Lügde Tel: +49 5281 9829 80 Fax: +49 5281 9829 860 E-mail: msds@dinol.com
- Further information obtainable from: Research & Development
- · 1.4 Emergency telephone number:
- Giftnotruf Berlin +49(0)30 30686 790 Beratung in Deutsch und Englisch.

## **SECTION 2: Hazards identification**

### · 2.1 Classification of the substance or mixture

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC

F+; Extremely flammable

R12: Extremely flammable.

*R66-67: Repeated exposure may cause skin dryness or cracking. Vapours may cause drowsiness and dizziness.* 

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

At long or repeated contact with skin it may cause dermatitis due to the degreasing effect of the solvent. Warning! Pressurized container.

Has a narcotizing effect.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

· 2.2 Label elements

· Labelling according to EU guidelines:

The product has been marked in accordance with EU Directives / respective national laws. The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

The R and S phrases may be omitted if packaging contains no more than 0.125 litre.

#### · Code letter and hazard designation of product:

F+ Extremely flammable

#### · Risk phrases:

- 12 Extremely flammable.
- 66 Repeated exposure may cause skin dryness or cracking.
- 67 Vapours may cause drowsiness and dizziness.
- · Safety phrases:
- 2 Keep out of the reach of children.
- *3 Keep in a cool place.*
- 16 Keep away from sources of ignition No smoking.
- 23 Do not breathe vapour/spray.
- 51 Use only in well-ventilated areas.

(Contd. on page 2)

Printing date 15.11.2012

### Version number 7

Revision: 25.10.2012

Trade name: Dinitrol ML Spray

(Contd. of page 1)

60 This material and its container must be disposed of as hazardous waste.

· Special labelling of certain preparations:

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

Do not spray on a naked flame or any incandescent material.

· Classification in accordance with Directive 75/324/EEC: Extremely flammable

· 2.3 Other hazards

The petroleum naphtha / petroleum distillate / lubricating oil meet the requirements for not being classified as carcinogenic (<0,1% benzene alt<3% (w/w) DMSO extract (IP 346)).

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterization: Mixtures

• Description: Mixture of substances listed below with additions.

· Dangerous compone	ents:	
CAS: 64742-48-9	Naphtha (petroleum), hydrotreated heavy	25-<50%
EINECS: 265-150-3	🗙 Xn R65	
	R10-66-67	
	🚸 Flam. Liq. 3, H226; 🚸 Asp. Tox. 1, H304; 솻 STOT SE 3, H336	
CAS: 74-98-6	Propane liquefied	10-<25%
EINECS: 200-827-9	F + R12	
	🐼 Flam. Gas 1, H220; 🔗 Press. Gas, H280	
CAS: 106-97-8	Butane, pure	10-<25%
EINECS: 203-448-7	F + R12	
	🐼 Flam. Gas 1, H220; 🔗 Press. Gas, H280	1
· Additional informat	ion: For the wording of the listed risk phrases refer to section 16.	

### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · After skin contact: If skin irritation continues, consult a doctor.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents:
- Water
- Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

(Contd. on page 3)



CINCL

Printing date 15.11.2012

# Safety data sheet according to 1907/2006/EC, Article 31

Version number 7

Revision: 25.10.2012

Trade name: Dinitrol ML Spray

(Contd. of page 2)

### **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation.
- Do not flush with water or aqueous cleansing agents
- Absorb liquid components with liquid-binding material.
- 6.4 Reference to other sections
  See Section 7 for information on safe handling.
  See Section 8 for information on personal protection equipment.
  See Section 13 for disposal information.

## SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.

 Information about fire - and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
 Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C, i.e. electric lights. Do not pierce or burn, even after use.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- **Requirements to be met by storerooms and receptacles:** Store in a cool location. Observe official regulations on storing packagings with pressurized containers.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Keep container tightly sealed.
- Do not seal receptacle gas tight. Store in cool, dry conditions in well sealed receptacles.
- Protect from heat and direct sunlight.
- 7.3 Specific end use(s) No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

- Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

106-97-8 Butane, pure

WEL Short-term value: 1810 mg/m<sup>3</sup>, 750 ppm Long-term value: 1450 mg/m<sup>3</sup>, 600 ppm Carc (if more than 0.1% of buta-1.3-diene)

• Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols.

(Contd. on page 4)

age 4)



Printing date 15.11.2012

Version number 7

Revision: 25.10.2012

(Contd. of page 3)

### Trade name: Dinitrol ML Spray

• Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

- Use suitable respiratory protective device in case of insufficient ventilation.
- Protection of hands:



Protective gloves

### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Nitrile rubber

### · Penetration time of glove material

> 480 min.

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

• 9.1 Information on basic physical a • General Information	and chemical properties
· Appearance:	
Form:	Aerosol
Colour:	Brown
· Odour:	Characteristic
· Odour threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	-44 °C
· Flash point:	< -20 °C (DIN 53213)
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	200 °C
· Decomposition temperature:	Not determined.
· Self-igniting:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/ vapour mixtures are possible.
· Explosion limits:	
Lower:	0.6 Vol %
Upper:	10.9 Vol %
· Vapour pressure At 20 °C:	4500 hPa
· Density At 20 •C:	0.75 g/cm <sup>3</sup> (DIN 51757)



Printing date 15.11.2012

Version number 7

Revision: 25.10.2012

Trade name: Dinitrol ML Spray

		(Contd. of page
· Relative density	Not determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/w	ater): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	63.8 %	
Solids content:	36.2 % (DIN 53216)	
· 9.2 Other information	No further relevant information available.	
· VOC (EU):	63.78 %	
$\cdot VOC(EU)$ :	478.4 g/l	
· VOCV:	63.78%	

## SECTION 10: Stability and reactivity

· 10.1 Reactivity

· 10.2 Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: Carbon monoxide

## **SECTION 11: Toxicological information**

· 11.1 Information on toxicological effects

• Acute toxicity:

### · LD/LC50 values relevant for classification:

64742-48-9 Naphtha (petroleum), hydrotreated heavy

Oral LD50 >5000 mg/kg (rat)

Dermal LD50 >3000 mg/kg (rab)

· Primary irritant effect:

• on the skin: No irritant effect.

 $\cdot$  on the eye: No irritating effect.

· Sensitization: No sensitizing effects known.

## **SECTION 12: Ecological information**

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- $\cdot$  Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

(Contd. on page 6)

GB



Printing date 15.11.2012

Version number 7

Revision: 25.10.2012

Trade name: Dinitrol ML Spray

(Contd. of page 5) Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· 12.5 Results of PBT and vPvB assessment

• *PBT*: Not applicable.

• **vPvB:** Not applicable.

· 12.6 Other adverse effects No further relevant information available.

### **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

16 00 00 WASTES NOT OTHERWISE SPECIFIED IN THE LIST

16 05 00 gases in pressure containers and discarded chemicals

16 05 04\* gases in pressure containers (including halons) containing dangerous substances

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

1 4 1 1131 31 1	
14.1 UN-Number ADR, IMDG, IATA	UN1950
	011750
14.2 UN proper shipping name	
ADR	1950 AEROSOLS
IMDG	AEROSOLS
IATA	AEROSOLS, flammable
14.3 Transport hazard class(es)	
ADR	
2	
Class	2 5F Gases.
Label	2.1
IMDG, IATA	
2	
Class	2.1
Label	2.1
	2.1
14.4 Packing group	
ADR, IMDG, IATA	Void
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user Danger code (Kemler):	Warning: Gases.

GB



Printing date 15.11.2012

Version number 7

Revision: 25.10.2012

Trade name: Dinitrol ML Spray

	(Contd. of page 6)
· EMS Number:	F-D,S-U
• 14.7 Transport in bulk according to Anne. MARPOL73/78 and the IBC Code	<b>x II of</b> Not applicable.
· Transport/Additional information:	For ADR and IMDG: Transport and packing are in accordance with the regulation for limited quantities. These products are therefore classified as no dangerous goods.
· ADR · Limited quantities (LQ) · Transport category · Tunnel restriction code	1L 2 D

## **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Labelling according to EU guidelines:

The product has been marked in accordance with EU Directives / respective national laws. The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

The R and S phrases may be omitted if packaging contains no more than 0.125 litre.

### · Code letter and hazard designation of product:

F+Extremely flammable

### · Risk phrases:

- 12 Extremely flammable.
- 66 Repeated exposure may cause skin dryness or cracking.

67 Vapours may cause drowsiness and dizziness.

#### · Safety phrases:

- 2 Keep out of the reach of children.
- *3 Keep in a cool place.*
- 16 Keep away from sources of ignition No smoking.
- 23 Do not breathe vapour/spray.
- 51 Use only in well-ventilated areas.
- 60 This material and its container must be disposed of as hazardous waste.

### · Special labelling of certain preparations:

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

Do not spray on a naked flame or any incandescent material.

· Classification in accordance with Directive 75/324/EEC: Extremely flammable

· National regulations:

· Technical instructions (air):

Class	Share in %
NK	63.8

• Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

· Other regulations, limitations and prohibitive regulations

· Please note: 2-1

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 8)



Printing date 15.11.2012

Version number 7

Revision: 25.10.2012

Trade name: Dinitrol ML Spray

(Contd. of page 7)

phrases
remely flammable gas.
mmable liquid and vapour.
ntains gas under pressure; may explode if heated.
y be fatal if swallowed and enters airways.
y cause drowsiness or dizziness.
mmable.
remely flammable.
mful: may cause lung damage if swallowed.
eated exposure may cause skin dryness or cracking.
ours may cause drowsiness and dizziness.