SAFETY DATA SHEET

SECTION 1.	IDENTIFICATION OF	THE MA	ATERIAL AND SUPPLIER
Product Name:	RALI RAPID FILLER		
Other Names:			
Recommended Use:			
Company Name:	Resene Paints Limited New Zealand	Address:	32-50 Vogel Street, Naenae, Wellington, NEW ZEALAND P O Box 38242, Wellington Mail Centre
Phone:	(04) 577 0500 Fax: (04) 577 0600		1 O Dox 30242, Weinington Man Centre
	Resene Paints Limited Australia	Address	7 Production Avenue, Molendinar, Queensland 4214
Phone	1800 738 383		P O Box 785, Ashmore City, Queensland 4214 AUSTRALIA
Emergency Telepho	one:		
New Zealand	0800 737 363 Available M	onday - F	riday 8.00am - 4.30pm
	New Zealand Poisons Ce	ntre: 0800) 764 766
Australia	1800 738 383		
	Australian Poisons Centr	e: 131 126	6
SECTION 2.	HAZARDS IDENTIFIC	ATION	
Hazard Classificator	n HAZARDOUS according to NZ		equiations
	Regulated under NZS5433 for		•
Risk Phrases	Not assigned		-
Safety Phrases	Not assigned		
Substance Classific	ation 3.1C 6.3A 6.4A 6.8A 6.9B	9.1C	
Hazard Statements	Highly flammable liquid and va	pour	
	Causes skin irritation		
	Causes eye irritation		
	May damage fertility or the unb		
	May cause damage to organs t	0,	
	Harmful to aquatic life with long	g lasting ef	fects
SECTION 3.	COMPOSITION / INFO	DRMAT	ION ON INGREDIENTS

%	CAS No	TWA	
10-30	1330-20-7	217 mg/m³	NZ OSH (WES) 2002
1-10	64742-94-5	550 mg/m³	OSHA CEL
1-10	108-65-6	None Establish	
0-10	7779-90-0	None Establish	
10-30	Not known	None Establish	
1-10	Not Classified	None Establish	
10-30	various	None Establish	
	10-30 1-10 1-10 0-10 10-30 1-10	10-301330-20-71-1064742-94-51-10108-65-60-107779-90-010-30Not known1-10Not Classified	10-30 1330-20-7 217 mg/m³ 1-10 64742-94-5 550 mg/m³ 1-10 108-65-6 None Establish 0-10 7779-90-0 None Establish 10-30 Not known None Establish 1-10 Not Classified None Establish

SECTION 4. FIRST AID MEASURES

- **Eyes** Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so. Continue rinsing. If eye irritation persists get medical attention/advice.
- Swallowed: Call a POISON CENTRE (NZ 0800 764766) or Australia (131 126) or doctor/physician if you feel unwell.
- **Skin** Remove/take off all contaminated clothing and wash before re-use. Wash skin with water/shower and plenty of soap. If skin irritation occurs get medical advice/attention.
- Inhaled Remove to fresh air and keep at rest in a position comfortable for breathing.

Aggravated medical conditions caused by exposure

Chronic Health Effects Not Identified Advice to Doctor Treat Symptomatically

SECTION 5. FIRE FIGHTING MEASURES

Extinguisher Foam, Carbon Dioxide, Dry Chemical

Hazards from combustion products

28

Special protective precautions and equipment for firefighters

Fire/Explosion HazardAuto Ingnition TemperatureLower Explosion LimitUpper Explosion LimitHazchem CodeFlash Pointn/a

3[Y]

SECTION 6. ACCIDENTAL RELEASE MEASURES

Emergency Procedures

Keep spectators away and avoid breathing dust or vapours

Methods and materials for containment and clean up

Minor Spills Use absorbent clean up materials, such as fire retardant treated sawdust or diatomaceous earth.

Keep spills (and as much as possible cleaning runoffs) out of municipal sewers and waterways.

Wear protective clothing and breathing apparatus.

Sweep up.

Place in separate container for disposal or recovery.

Clean up spills immediately.

Major Spills Dike and contain spill with inert materials (eg. Sand).

Keep spills (and as much as possible cleaning runoffs) out of municipal sewers and open bodies of water. Restrict access to area. No smoking or naked lights.

Clear area of personnel and move upwind.

Alert Fire Brigade and tell them location and nature of hazard.

Consider evacuation (or protect in place).

Stop leak if safe to do so.

Collect recoverable product into labelled containers for recycling.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling Avoid damaging containers. Keep lids on containers when not in use Conditions for safe storage including any incompatibilities

Storage Temperatures Min 0°C

Max 40°C

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

National exp standards fo			andards has been	established for	this product		
Component		Brea	athing Zone ppm	Bre	eathing Zone r	ng/m³	
Personal Pro	tection						
Eye:	Safety ey any paint		h guards or side s	hields to preve	nt eye contact	is recommend	ed when using
Hands/Feet	Protective recomme	•	s of neoprene or r	hitrile rubber - In	ndustrial weigh	t lined gauntle	t
Other	Overalls,	impervious clothi	ng, barrier cream,	eyewash unit,	skin cleansing	cream.	
		•	personal cleanline ands thoroughly b			id breathing v	apours of
Respirator	None req	quired					
SECTION	9.	PHYSICAL A	AND CHEMIC	CAL PROP	ERTIES		
Appearance	Viscous lie	quid					
Odour	pH V	apour Pressure	Vapour Density	Boiling Point	Melt Freeze	Solubility	Valatila by Maigh
Hydrocarbon	n/a	n/a	heavier than air	138°C	0°C	Solubility Insoluble	Volatile by Weigh 40
SECTION	10.	STABILITY	AND ACTIV	ITY			
Chemical Stab	ility Prod	uct is considered	stable under norm	al storage and	handling cond	itions.	

Conditions to Avoid Freezing, excessive heat and changes in temperature

Incompatible Materials

Hazardous decomposition product Oxides of carbon and nitrogen

Hazardous reactions Hazardous polymerisation will not occur.

RALI RAPID FILLER

SECTION 11. TOXICOLOGICAL INFORMATION

No data available for this product

Component

Oral:LD50 mg/k Dermal:LD50 mg/k

Inhale:LC50 pp

SECTION 12. HAZARDS IDENTIFICATION

Do not allow the product to enter the environment No data available for this product

Component

Fish:LC50 mg/Lt

BCF:<100 Kow

SECTION 13. DISPOSAL CONSIDERATIONS

Special precautions for landfill or incineration

Consult manufacturer for recycling options and recycle where possible

Decontaminate empty containers. Observe all label safeguards until containers are cleaned and destroyed

SECTION 14. TRANSPORT INFORMATION

Transport only in accordance with the following regulations

UN Number	1263
Proper Shipping Name	Paint related product
Subsidiary Risk	
Poison Schedule	
Packing Group:	III
Class	3
HAZCHEM Code	3[Y]
Special precautions for u	iser

SECTION 15. REGULATORY INFORMATION

Group Standard HSR002662 Surface Coatings & Colourants - Flammable

Approved Handler Not required

SECTION 16.	OTHER INFORMATION	
Date of Preparation	11/06/2012	
Literature references	MSDS's for individual raw material	
Abbreviations:		
NOHSC	National Occupational Health and Safety	Com
TWA	Time weighted average	
STEL	Short term exposure limit	
CAS Number	Chemical Abstract Service registry numb	er
TLV	Threshold limit value	
Marine Pollutant	Marine Pollutant	

Safety data sheets are updated frequently. Please ensure that you have a current copy

The information contained herein is based on data considered accurate and reliable to the best of our knowledge and belief as of the date compiled. However no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use hereof. Resene Paints (New Zealand) Limited assumes no responsibility for personal injury or property damage to vendors, users or third parties caused by the material. Such users or vendors assume all risks associated with the use of the material. It is the users responsibility to satisfy themselves as to the suitability and completeness of the information for their own particular use. The users must determine whether the use of the information and data is in accordance with local laws and regulations.