

# SAFETY DATA SHEET

## SECTION 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

**Product Name:** ARMOURCAT 842 SATIN CLEAR BASE

**Other Names:**

**Recommended Use:** Part A of a 2-pack acid catalysed paint

**Company Name:** Resene Paints Limited New Zealand

**Address:** 32-50 Vogel Street, Naenae, Wellington, NEW ZEALAND  
P O Box 38242, Wellington Mail Centre

**Phone:** (04) 577 0500 Fax: (04) 577 0600

Resene Paints Limited Australia

**Address** 7 Production Avenue, Molendinar, Queensland 4214  
P O Box 785, Ashmore City, Queensland 4214  
AUSTRALIA

**Phone** 1800 738 38

**Emergency Telephone:**

**New Zealand** 0800 737 363 Available Monday - Friday 8.00am - 4.30pm

**New Zealand Poisons Centre: 0800 764 766**

**Australia** 1800 738 383

**Australian Poisons Centre: 131 126**

## SECTION 2. HAZARDS IDENTIFICATION

**Hazard Classification** HAZARDOUS according to NZ HSNO Regulations

Regulated under NZS5433 for land transportation

**Risk Phrases** Not assigned

**Safety Phrases** Not assigned

**Substance Classification** 3.1C 6.1D 6.3A 6.5B 6.7B 6.8B 6.9B 8.3A 9.1C 9.3C

**Hazard Statements** Flammable liquid and vapour  
Harmful if swallowed  
Harmful in contact with skin  
Causes skin irritation  
Causes serious eye damage  
May cause an allergic skin reaction  
Suspected of causing cancer  
Suspected of damaging fertility or the unborn child.  
Suspected of damaging organs through prolonged or repeated exposure  
Harmful to aquatic life with long lasting effects  
Harmful to terrestrial invertebrates

## SECTION 3. COMPOSITION / INFORMATION ON INGREDIENT

Ingredients	%	CAS No	TWA	
Dimethylbenzene	10-30	1330-20-7	217 mg/m <sup>3</sup>	NZ OSH (WES) 2002
Aromatic Hydrocarbon	1-30	64742-95-6	not known	
Methyl benzene	1-10	108-88-3	188 mg/m <sup>3</sup>	NZ OSH (WES) 2002
n-Butanol	1-10	71-36-3	150 mg/m <sup>3</sup>	NZ OSH (WES) 2002
Butyl Acetate (n-)	1-10	123-86-4	150ppm +	NZ OSH (WES) 2002
Alkyd Resin	30-60	Not known	None Establish	
Proprietary ingredients	1-10	various	None Establish	

## SECTION 4. FIRST AID MEASURES

**Eyes** Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so. Continue rinsing. If eye irritation persists get medical attention/advice.

**Swallowed:** Rinse mouth. DO NOT induce vomiting.  
Call a POISON CENTRE (NZ 0800 764766) or Australia (131 126) or doctor/physician if you feel unwell.

**Skin** Remove/take off all contaminated clothing and wash before re-use. Wash skin with water/shower and

plenty of soap. If skin irritation occurs get medical advice/attention.

**Inhaled**

Remove to fresh air and keep at rest in a position comfortable for breathing.

**Aggravated medical conditions caused by exposure**

**Chronic Health Effects** Not Identified

**Advice to Doctor** Treat Symptomatically

**SECTION 5. FIRE FIGHTING MEASURES**

**Extinguisher** Foam, Carbon Dioxide, Dry Chemical

**Hazards from combustion products**

**Special protective precautions and equipment for firefighters**

**Fire/Explosion Hazard** Auto Ignition Temperature Lower Explosion Limit Upper Explosion Limit

**Hazchem Code** Flash Point

3[Y]

24°C

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

**Emergency Procedures**

Keep spectators away and avoid breathing dust or vapours

**Methods and materials for containment and clean up**

**Minor Spills** Ventilate area, avoid breathing of vapours.

Use absorbent clean up materials, such as fire retardant treated sawdust or diatomaceous earth.

Keep spills (and as much as possible cleaning runoffs) out of municipal sewers and waterways.

Wear protective clothing and breathing apparatus.

Sweep up.

Place in separate container for disposal or recovery.

Remove all ignition sources.

Clean up spills immediately.

**Major Spills** Dike and contain spill with inert materials (eg. Sand).

Keep spills (and as much as possible cleaning runoffs) out of municipal sewers and open bodies of water.

Restrict access to area. No smoking or naked lights.

Clear area of personnel and move upwind.

Alert Fire Brigade and tell them location and nature of hazard.

Consider evacuation (or protect in place).

Stop leak if safe to do so.

Collect recoverable product into labelled containers for recycling.

**SECTION 7. HANDLING AND STORAGE**

**Precautions for safe handling** Avoid damaging containers. Keep lids on containers when not in use

Conditions for safe storage including any incompatibilities 0

**Storage Temperatures** Min 0°C Max 40°C

Incompatibilities

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**National exposure standards for mixture** No exposure standards has been established for this product

**Component**

**Breathing Zone ppm**

**Breathing Zone mg/m<sup>3</sup>**

**Personal Protection**

- Eye:** Safety eyewear with splash guards or side shields to prevent eye contact is recommended when using any paint.
- Hands/Feet** Protective clothing. Gloves of neoprene or nitrile rubber - Industrial weight lined gauntlet recommended.
- Other** Use in well ventilated area with explosion proof equipment. When added to other components mixed material presents hazards from all components.  
Overalls, impervious clothing, barrier cream, eyewash unit, skin cleansing cream.  
Practice good caution and personal cleanliness to avoid skin contact. Avoid breathing vapours of heated materials. Wash hands thoroughly before handling food.
- Respirator** Class AUS-1 half face respirator with type A organic filter

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance** Coloured viscous liquid

Odour	pH	Vapour Pressure	Vapour Density	Boiling Point	Melt Freeze	Solubility	Volatile by Weight
Hydrocarbon	n/a	6.3 kPa	2.6	56°C		Insoluble	40

## SECTION 10. STABILITY AND ACTIVITY

**Chemical Stability** Product is considered stable under normal storage and handling conditions.

**Conditions to Avoid Freezing,** excessive heat and changes in temperature

**Incompatible Materials** avoid storing with strong oxidisers, acids and alkalis

**Hazardous decomposition product** Oxides of carbon and nitrogen

**Hazardous reactions** Hazardous polymerisation will not occur.

**SECTION 11. TOXICOLOGICAL INFORMATION**

No data available for this product

Component Oral:LD50 mg/k Dermal:LD50 mg/k Inhale:LC50 pp

**SECTION 12. HAZARDS IDENTIFICATION**

Do not allow the product to enter the environment

No data available for this product

Component Fish:LC50 mg/Lt BCF:<100 Kow

**SECTION 13. DISPOSAL CONSIDERATIONS**

Special precautions for landfill or incineration

Triple rinse the empty container until clean. Recycle washings where appropriate. Puncture can to prevent re-use. empty can in approved landfill. Do not allow washings to enter waterways

**SECTION 14. TRANSPORT INFORMATION**

Transport only in accordance with the following regulations

UN Number 1263  
 Proper Shipping Name Paint related material  
 Subsidiary Risk  
 Poison Schedule  
 Packing Group: III  
 Class 3-Flammable liquid  
 HAZCHEM Code 3[Y]

**Special precautions for user**

**SECTION 15. REGULATORY INFORMATION**

Group Standard HSR002669 Surface Coatings and Colourants - Flammable, Toxic [6.7]

Approved Handler Not required

**SECTION 16. OTHER INFORMATION**

Date of Preparation 31/10/13  
 Literature references MSDS's for individual raw material

**Abbreviations:**

NOHSC National Occupational Health and Safety Commission  
 TWA Time weighted average  
 STEL Short term exposure limit  
 CAS Numbe Chemical Abstract Service registry number  
 TLV Threshold limit value  
 Marine Pollutant Marine Pollutant

**Safety data sheets are updated frequently. Please ensure that you have a current copy**

The information contained herein is based on data considered accurate and reliable to the best of our knowledge and belief as of the date compiled. However no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use hereof. Resene Paints (New Zealand) Limited assumes no responsibility for personal injury or property damage to vendors, users or third parties caused by the material. Such users or vendors assume all risks associated with the use of the material. It is the users responsibility to satisfy themselves as to the suitability and completeness of the information for their own particular use. The users must determine whether the use of the information and data is in accordance with local laws and regulations.